



P.O. Box 1218  
121 Main Street  
Buda, Texas 78610  
(512) 312-0084  
(512) 312-1889 fax

**Sprinkler Permit Application #**

**SP**

**Fee: \$80-Residential \$100-Commercial**

Commercial:

Residential:

Address: \_\_\_\_\_

Property Owner: \_\_\_\_\_

Billing Address: \_\_\_\_\_

Contractor: \_\_\_\_\_

Contractor's State License #: \_\_\_\_\_  
(Please provide a copy of license)

Address: \_\_\_\_\_

Telephone: \_\_\_\_\_

Special conditions: \_\_\_\_\_

System without chemical additives:  System with chemical additives:   
(Check box that applies)

**For Inspections; Call A.T.S. at (512)328-6995.**

(Return T&M form and Tester registration form to the City of Buda)  
(Leave copy of T&M form on site for ATS inspector).

City of Buda

Date

**CITY OF BUDA**

**IRRIGATION PERMIT APPLICATION**

I understand that in accordance with the City of Buda's Unified Development Code (UDC), non-compliance with the UDC may be cause for the Building Official to suspend or revoke a permit and/or license. In addition to the UDC and/or any zoning overlays, I understand that I am responsible for complying with any subdivision notes, deed restrictions, and/or restrictive covenants prohibiting certain uses and/or requiring certain development restrictions (i.e., height, access, screening, etc.) on this property. If a conflict should result with any of these restrictions, it will be my responsibility to resolve it. I understand that, if requested, I must provide copies of all subdivision plat notes, deed restrictions, restrictive covenants, and/or zoning conditional overlay information that may apply to this property.

I understand that nothing including but not limited to landscaping, vegetation, lighting, irrigation and/or any appurtenances associated therewith may be built upon, over or encroach on any public right of way, easement and/or publically owned property.

I acknowledge that customer will bear the expense of any necessary relocation of existing utilities and/or the cost to repair any damage to existing utilities caused during construction. Furthermore, the applicant agrees to indemnify, defend, assume all liability for and hold harmless City and its officers, employees, agents and representatives from all actions, claims, suits, penalties, obligations, liabilities, damages to property, environmental claims or injuries to persons, which may be caused by any of the City's activities or improvements.

I agree that this application will expire on the 181st day after the date that the application is filed if the application is not approved and an extension is not granted. If the application expires, a new submittal will be required.

APPLICANT'S SIGNATURE \_\_\_\_\_ DATE \_\_\_\_\_

APPLICANT'S PRINT NAME \_\_\_\_\_ DATE \_\_\_\_\_

*(SIGNATURES IN THESE BLANKS INDICATE THAT THE PROPERTY OWNER IS AWARE OF THE APPLICATION FOR AN IRRIGATION PERMIT AND THAT ALL OF THE ABOVE INFORMATION IS TRUE AND CORRECT)*

\_\_\_\_\_  
*SIGNATURE OF COMPANY REPRESENTATIVE*

\_\_\_\_\_  
*DATE*

\_\_\_\_\_  
*PRINT NAME OF COMPANY REPRESENTATIVE*

\_\_\_\_\_  
*DATE*

CITY OF BUDA

ORDINANCE 06-06-00-02

AN ORDINANCE OF THE CITY OF BUDA REGULATING THE INSTALLATION OF CROSS-CONNECTION CONTROLS AND SETTING A PROGRAM FOR THE INSTALLATION, TESTING AND MAINTENANCE OF SUCH CONTROLS.

BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF BUDA, TEXAS:

SECTION 1, That Chapter 150 of the Code of Ordinances of the City of Buda, Texas be amended to add a new ordinance 06-06-00-02 such ordinance to read as follows:

SECTION 2, CROSS -CONNECTION CONTROL PROGRAM:

General:

No water service connection shall be made to any establishment where a potential or actual contamination hazard exists unless the water supply is protected in accordance with the Texas Natural Resource Conservation Commission Rules and Regulations for Public Water Systems (TNRCC Rules) and this Ordinance. Water service shall be discontinued by the water purveyor if a required backflow prevention assembly is not installed, maintained and tested in accordance with the TNRCC Rules and this Ordinance.

SECTION 3, BACKFLOW PREVENTION ASSEMBLY INSTALLATION, TESTING AND MAINTENANCE

1. All backflow prevention assemblies shall be tested upon installation by a recognized backflow prevention assembly tester and certified to be operating within specifications. Backflow prevention assemblies which are installed to provide protection against health hazards must also be tested and certified to be operating within specifications at least annually by a recognized backflow prevention assembly tester. A test report must be completed by a recognized backflow prevention assembly tester for each assembly tested. The signed and dated original form must be submitted to the City of Buda within five (5) working days of the test.

2. All backflow prevention assemblies shall be installed and tested in accordance with the manufacture's instructions, the American Water Works Association's Recommended Practice for Backflow Prevention and Cross-Connection Control (Manual M14) or the University of Southern California Manual of Cross-Connection Control.

3. Assemblies shall be repaired, overhauled, or replaced at the expense of the customer whenever said assemblies are found to be defective. Original forms of such tests, repairs, and overhauls shall be kept and submitted to the City of Buda within five (5) working days of the test, repair or overhaul of each backflow prevention assembly.

4. No backflow prevention assembly or device shall be removed from use, relocated, or the assembly or device substituted without the approval of the City of Buda. Whenever the existing assembly is moved from the present location or can not be repaired, the backflow prevention assembly shall be replaced with a backflow prevention assembly or device that complies with this section. The American Water Works Association Manual M14, current addition, University of Southern California Manual of Cross Connection Control, current addition, or the current Plumbing Code of the city of Buda, whichever is more stringent.

5. Test gauges used for backflow prevention assemblies testing shall be calibrated at least manually in accordance with the American Water Works Association Recommended Practice for Backflow Prevention and Cross-Connection Control (Manual M14) or the University of Southern California's Manual of Cross-Connection Control. The original calibration form must be submitted to the City of Buda within five (5) working days after calibration.

6. Recognized backflow prevention assembly tester must hold a current endorsement from the Texas Natural Resource Conservation Commission.

#### SECTION 4, CUSTOMER SERVICE INSPECTIONS

1. A customer service inspection shall be completed prior to providing water service to all new construction, on any existing service when water purveyor has reason to believe that cross-connections or the contaminant hazards exist, or after any material improvement, correction, or addition to the private water distribution facilities.

2. Only individuals with the following credentials shall be recognized as capable of conducting a customer service inspection:

a. Plumbing Inspectors and Water Supply Protection Specialists that have been licensed by the Texas state board of Plumbing Examiners.

b. Customer service inspectors who have completed a Commission approved course, passed an examination administered by the Commission or its designated agent and hold current certification or endorsement as a customer service inspector issued by the Commission.

3. The Customer Service Inspection must certify that:

a. No direct connection between the public drinking water supply and a potential source of contamination is permitted. Potential sources of contamination shall be isolated from the public water system by an air-gap or an appropriate backflow prevention device.


b. No cross-connection between the public drinking water supply and a private water system is permitted. These potential threats to the public drinking water supply shall be eliminated at the service connection by the installation of an air-gap or a reduced pressure zone backflow prevention device.

c. No connection which allows water to be returned to the public drinking water supply is permitted.

d. No pipe or pipe fitting which contains more than 8.0% lead may be used for the installation or repair of plumbing at any connection which provides water for human use.

e. No solder or flux which contains more than 0.2 percent lead can be used for the installation or repair of plumbing at any connection which provides water for human use. A minimum of one lead test shall be performed for each inspection.

SECTION 5, That this ordinance shall be and is hereby declared to be in force and effect this 6<sup>th</sup> day of June, 2000.

  
Keith W. Thornsberry, Mayor  
City of Buda, Texas

ATTEST:

  
W. Grey White, City Administrator/Secretary